

A COMPUTER PROGRAM TO DETERMINE
THE CRITICAL SPEED OF ROTATING MACHINERY

M. Leininger

Fermi National Accelerator Laboratory*

Batavia, Illinois

ABSTRACT

There is a computer program available for use on Cyber which allows one to determine the critical speeds, normal mode shapes and forced vibration response of any piece of rotating machinery. The program is based on the Holzer-Mykelstad-Prohl Method modified to apply to lateral vibrating systems. This program cannot be applied to torsional systems.


^{*}Operated by Universities Research Association, Inc., under contract with the U. S. Department of Energy.

DEVELOPMENT OF COMPUTATIONAL METHOD

The computational method is based on the Holzer-Mykelstad-Prohl (HMP) Method which is discussed in detail in reference 2. The following discussion is purposely brief and intended only to give the reader some idea of what the computer program is doing.

The HMP Method treats any rotor system as being made up of stations. A station is defined as a section of shaft of finite length whose outside and inside diameter remains constant and which has other "parameters" lumped at the right end.


A section of shaft with a large flywheel at the right end would be represented by the following station.



where I = inertia of disk

M = mass of disk

A section of shaft supported in bearings at the right end would be represented by the following station:



where K = restoring force of bearing

A section of shaft supported in bearings at both ends must be


represented by two stations:

where K_1 = restoring force of left bearing


 K_2 = restoring force of right bearing

Notice that the left bearing is represented by a station whose length is very small, even though there really is no shaft to the left of the bearing. This is essential for the program to work: a station must have finite length and diameter.

A section of shaft supported in bearings at each end with a flywheel in the middle would be represented by the following stations:



Angular spring forces can also be included. Angular spring forces arise from devices like rubber couplings which resist relative rotations between shaft sections:



The rubber shown in the above coupling will try to straighten out the shaft. Angular restoring forces are usually given by manufacturers in units of pounds per radian.

The HMP Method develops a transfer matrix across a station which relates parameters at the right end of the station to the left end of the station:

$$\begin{bmatrix} U \\ \Theta \\ M \\ V \end{bmatrix} \text{ Left} = \begin{bmatrix} f(\omega^2) \\ f(\omega^2) \\ M \\ V \end{bmatrix} \text{ Right}$$

Where:

U = Lateral deflection

 Θ = Angular rotation


M = Bending moment

V = Shear force


 ω = Natural frequency of system

 $f(\omega^2)$ = The elements of the matrix are functions of ω^2 Boundary conditions for a free shaft require that the bending moment and shear force be zero at each (free) end of the shaft. By selecting a unit deflection at the left end of shaft and guessing ω^2 , the transfer matrix allows one to progress across to the right end of the shaft and see whether the shear force and bending moment really do come out

to be zero. If they do the problem is solved (i.e., ω^2 has been found); if they do not, guess a new ω^2 and try again. The program performs the iteration of ω^2 . A progressive sequence of guesses for ω^2 will give rise to the following sort of plot:



In the above plot, Δ is the value of a determinant which shall be left undefined for this discussion. Every place the curve crosses the ω^2 axis, a natural frequency occurs. It is appropriate to mention two problems which may occur with this program. The following plot illustrates the problem:



Notice that the second and third criticals were missed entirely simply because small accumulated errors in the program did not allow the curve to cross the ω^2 axis. The program has been written in double precision to help avoid this problem. The other problem occurs when too large an increment is chosen for ω^2 ; in this case the graph goes above the ω^2 axis and drops down again between two consecutive values for ω^2 . When this happens there is no change of sign for the program to detect and the criticals are missed.

One last point concerns gyroscopic effects. A spinning disk (particularly a large one) has an angular momentum vector which resists a torque in any direction. During lateral vibration, if such a torque is exerted on the disk, the disk will resist that torque and so tend to "stiffen" the shaft. This tends to raise the natural frequency of the system. The program will find both the static natural frequency and the dynamic natural frequency which includes gyroscopic effects. Gyroscopic effects are accounted for by substituting -I for I in the input data. It is difficult to see exactly why this works but the following may help. The effective inertia of a disk shows up as $\omega(\omega-2\Omega)I$ where Ω is the precessional frequency. static case there is no precession and $\Omega = 0$ leaving $\omega^2 I$ for an effective inertia. In forward synchronous whirl, Ω = ω and the effective inertia becomes $\omega^2 I - 2\omega^2 I = -\omega^2 I$. This gives some indication of why substituting a minus I works. Note that it only accounts for forward synchronous whir1.

USE OF PROGRAM WITH EXAMPLE

The input will consist of a description of the shaft and the forcing function. The output will consist of natural frequencies,

normal mode shapes and forced vibration response. THE PROGRAM NAME IS LATVIB. Persons interested in using this program should contact the author for a copy of the deck.

LATVIB requires a line printer for output due to the width of the output. To execute the program, the deck should consist of the following cards:

JOB NAME.

USER (NUMBER, PASSWORD)

CHARGE CODE.

ATTACH, FTN, FORTRAN, POST PRC/UN = NEW LIBR.

GET (LATVIB = LATVIB)

FTN, I + LATVIB, OPT = 1.

LGO.

7-8-9 CARD

DATA

6-7-8-9 CARD

The input has the following format:

CARD		COLUMNS		
1	1-3	Number of problems	(FORMAT	I3)
2	1 - 4	Shaft identification number	(FORMAT	I4)
	5-6	4 (this specifies run application)	(FORMAT	I2)
3	1-3	Number of shaft sections	(FORMAT	I3)
	4 - 6	Number of frequencies desired	(FORMAT	I3)
	7-16	Required accuracy of frequencies in rad/sec	(FORMAT	F10.0)
	17-26	Approximation to first natural frequency in rad/sec	(FORMAT	F10.0)
	27-36	Frequency increment in rad/sec	(FORMAT	F10.0)

(FORMAT F8.0)

(FORMAT F8.0)

<u>CARD</u> <u>COLUMNS</u>

1-8

9 - 16

57-64

must be inserted.

Cards 4, 5, ..., (NS + 3) all have the same format (NS is the number of shaft sections). Each card describes one shaft section. The cards must be arranged in the same order as the shaft sections: Card 4 describes section 1, Card 5 describes section 2, etc.).

Section length in inches

-	17-24	Section	inner dia	ameter i	in inc	hes	(FORMAT	F8.0)
2	25-32	Section	weight de	ensity i	in 1b/	in ³	(FORMAT	F8.0)
·	33-40	Section	modulus d	of elast	ticity	in psi	(FORMAT	F8.0)
4	41-48	Section	1umped ma	ass in 1	lb sec	² /in	(FORMAT	F8.0)
2	49-56	Section 1b sec ²	lumped dinches	iametra1	liner	tia in	(FORMAT	F8.0)

Section outer diameter in inches

65-72 Section angular spring force in in 1b/rad (FORMAT F8.0)

Section linear spring force in 1b/in (FORMAT F8.0)

The next cards specify the forcing function at each section.

Note that if there is no forcing function at a station, a blank card

NS+4, NS+5,,	1-10	Force input at section	(FORMAT F10.0)
2NS+3	11-20	Frequency of force input at section	(FORMAT F10.0)
	21-30	Moment input at section	(FORMAT F10.0)
	31-40	Frequency of moment input at section	(FORMAT F10.0)


The remaining cards specify a quantity called the modal damping factor. This factor is important only in systems where damping has a significant effect on the forced response of the system. In general,

the factor will have little effect and values of 0.1-1.0 should be used. There will be one damping factor for each of the frequencies desired (NF). Blank cards must be inserted if no factor is used.

2NS+3, 1-10 Model damping factor 2NS+4..., 2NS+3+NF

(FORMAT F10.0)

The following example illustrates the use of the program. The example is a three rotor, two bearing shaft consisting of five stations. The critical speeds will be found for the static case (no gyroscopic effects) and the dynamic case (gyroscopic effects included). The driving force used is 1 lb. at 5000 RPM located at Station 2.



GIVEN

$$K_1 = 10^7 \text{ lb/in}$$
 $K_4 = 10^7 \text{ lb/in}$
 $M_2 = .02303 \text{ lb s}^2/\text{in}$
 $M_3 = .06910 \text{ lb s}^2/\text{in}$
 $M_5 = .05757 \text{ lb s}^2/\text{in}$
 $J_2 = J_3 = J_5 = .581 \text{ lb s}^2 \text{ in}$

The attached copy of the program lists the required input and the corresponding output for the example. Note that in the static case the first natural frequency occurs at 936 radians per second whereas in the dynamic case the first natural frequency occurs at 1025 radians per second. This difference, due to gyroscopic effects, can become quite large for heavy flywheels which are overhung a sizable distance.

REFERENCES

- 1. Program originally written by Ron Eshleman and E. E. Hahn at IIT Research Institute under contract with the Department of Navy. The author modified the program to run double precision on Fermilab's NOS system.
- 2. IIT Research Institute, <u>Procedures for Calculating Natural</u>

 <u>Frequencies of Shafting Systems</u>, Final Report K6086, IIT

 Research Institute Technology Center, Chicago, Ill., p. 318.

-12-

SHEAR AT-END

1+++1 40000

5822096-11 1575696-11 1758556+04 1979756+03

1468 17639 17639

RADIAN

SECOND

SHELENS
SHAFTING
COMPLEX S
40
ANALYSIS
-

		AT FRO 443522E-1	47 END 471532E-2	AT END AT END 601290EFO	PEGINATAG PEGINATAG • 601290E+0	AT PEGINAING C. 771632E-7	A TOTAL PER LA NAME OF THE PROPERTY OF THE PRO
		5 10 17	7 4 7	3 U.C.	* u	2 2 2	RATIONS
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		.5188588-02 -74357588-02 -10651748-01 -1286088-01		0. 	0. 		1945E+04 -1000000E-02 -10000000E-02 -19275E-02 -19275E-01 -15875F-01
1+++1	1 1 1 1 1 1 1 1 1 1	-1033715-01 -3123375-02 -7123095-02 -72305-02	1111 000110 00110 00110 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010 0010	0. 10(103F+09 -94248F+04 -915324F+04	0.2824928-15 -2782498-15 5785428-05 7291578+05	-1633716-01 -7183376-02 -3127396-03 -7712396-03	2099E+04 -1660000 =-02 -1660000 =-02 -2574420 =-01 -2574420 =-01
1 11 1				0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.10	01 01 00 00 00 00 00 00 00 00 00 00 00 0		OGEN-M HENHH
SHEAR AT END	H T A B A B A B A B A B A B A B A B A B A	SLOPE ATOPE	DTSPLACEMENT	SHEAR NING	CPI PALCES - LV	SUDDICTION TR	SISTORDS APE ATTORB ATTORB ATTORB
							ADRUNUSAB
						+	00000±±01
						SECT	100 E
		591CE+0 591CE+0 5810E+0	53335-0 59165-0 57576-0	##### ################################	2000 2000 2000 2000 2000 2000 2000 200	0000 0000	00000000000000000000000000000000000000
200	LINEAR SPRING (L9/IN.) 1000E+38	TNERTIA (LB SEC2	MASS MASS SEC2/IN.	# 000 LUS 1 1 1 1 1 1 1 1 1	VET 647 05 NS 11 Y 12830 F + 0	R DIAKETER (IN.)	TH 01 A 421 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
TIR MINU	Y OF PLU	VITHIN HAN ER SECON	SECOMPUTE SECOMPUTE SACATER	REDUENCIES WI	THE FIRST NATIONAL	ESTIMATED THA FREGUENCIES	E 4 COMPOSED NO OCE 1 COMPOSED NO COMPOSED
	1 1 1 1 1 1 1 1 1 1	EURACY ELGA RADIAN FER SECOND SERING 1000E+08 000 1000E+08 000 1000E+08 000 1000E+08 000 1000E+08 000 1000E+08 000 1000E+08 1000E+	## SECOND				